

B 260 R I BP PACK+D100+DOSE

Equipped with a battery, charger and 100 cm disc brush head: the ride-on scrubber drier B 260 RI Bp Pack delivers an exceptional cleaning performance in tough industrial applications.



Made in Europe



Order no.

1.480-254.0

- 260 l tanks for fresh/dirty water, 100 cm disc brush head, ride-on, 10 km/h
- Off-board charger, 630 Ah lead-acid battery, 5 h run time, max. 10,000 m²/h
- Side brush, working light, automatic detergent dosing unit

Technical data

EAN code		4054278954325
Drive type		Battery
Traction drive		traction motor
Working width, brushes	cm	100
Working width, vacuuming		114
Fresh/dirty water tank		260 / 260
Theoretical area performance	m²/h	max. 10000
Practical area performance	m²	7000
Battery type		Low-maintenance
Battery	V / Ah	36 / 630
Battery runtime	h	max. 5
Battery charging time	h	approx. 12
Driving speed	km/h	max. 10
Climbing ability	%	max. 15
Brush speed	rpm	140
Brush contact pressure	kg / g/cm²	130 / 42
aisle turning width	cm	212
Water consumption	l/min	max. 9
Sound pressure level	dB(A)	73
Permissible total weight	kg	1840
Weight without accessories	kg	1380
Dimensions (L × W × H)	mm	1950 × 1180 × 1570

Equipment


Disc brush	Piece(s)	2
Auto Fill		■
Patented tank rinsing system		■
Powerful traction drive		■
Battery and charger included		■
Automatic water stop		■
DOSE		■
Parking brake		■
Adjustable steering wheel		■
Solenoid valve		■
Squeegee, curved		■
Two-tank system		■
standard daytime driving light		■
Type of suction lips		Linatex®
dosing canister for detergent with closed loop system		■
Kärcher colour and operating concept		■
Kärcher Intelligent Key System (KIK) with over 30 user languages and individual user rights		■
Home Base fastening possibilities for mop or similar		■
speed reduction in curves for increased safety		■

electrical and mechanical float switch

Easy Operation selector switch

■ included in the scope of supply.

This machine requires instruction.



10 km/h driving speed

- Enables a high area performance in next to no time and quick transportation operations.
- The steering angle sensor acts as a safety feature when driving in curves.
- There is automatic braking if speed is too high when driving in curves.



Includes two turbines as standard

- Excellent vacuuming results on all surfaces.
- Wear-free Ec turbines.
- Optimised airflow with the newly developed squeegee.



Welded industrial squeegee

- With tear-resistant, long-lasting Linatex® suction lips for excellent vacuuming results.
- Fast and simple replacement of the suction lips.
- Robust parallelogram holder with an evasion function for obstacles.

ACCESSORIES FOR B 260 R I BP PACK+D100+DOSE 1.480-254.0



		Order no.	Description	
DISC BRUSHES				
Disc brush, medium, red, 510 mm	1	4.905-026.0	Red standard disc brush for regular maintenance cleaning.	■
Disc brush complete white D51, very soft, White, 510 mm	2	4.905-028.0	White, soft disc brush for the gentle cleaning of sensitive floor coverings.	□
Disc brush, soft, natural, 510 mm	3	4.905-027.0	Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	□
Disc brush complete black D51, hard, black, 510 mm	4	4.905-029.0	Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	□
BRUSH HEADS				
Brush head D 100	5	2.763-057.0	The brush head with two disc brushes and 100 cm working width features a practical and time-saving quick brush switch system.	■
WIPING FLAPS				
Linard squeegee blades	6	4.250-167.0	Set of tear-resistant squeegee blades made of Linard. They keep the cleaning water in the working area of the brush head and ensure optimum squeegee performance in turning manoeuvres.	■
Squeegee blades, oil-resistant	7	4.250-166.0	Set of low-wear, oil-resistant squeegee blades made from polyurethane. For optimum cleaning results with curve movements and reliable keeping of the cleaning water in the working area of the brush head.	□
SQUEEGEES AND SQUEEGEE BLADES				
Squeegees				
Squeegee, 1140 mm, parabolic	8	4.777-104.0	Parabolic, robust squeegee made from aluminium with 1140 mm suction width and quick coupling. Delivers excellent suction and drying results. Tool-free change of suction lips.	■
Squeegee blades				
Suction lips, Linatex®, 1260 mm	9	4.250-137.0	Tear-resistant suction lip made from Linatex® with special inlet openings for optimal suction results at crevices and joints. Suitable for parabolic squeegee with 1140 mm suction width.	■
Suction lips, oil-resistant, slotted, 1260 mm	10	4.250-143.0	Low-wear, oil-resistant suction lip made from polyurethane. Three-layer material for high level of flexibility and optimum cleaning properties. For parabolic squeegee with 1140 mm suction width.	□
KITS				
Dose mounting kit				
Detergent dosing unit attachment kit DOSE B260RI	11	2.644-368.0	Attachment kit for Kärcher scrubber dryers for the detergent dosing unit between 0.5 and 3% directly from up to 2x 10-l canisters. With filling level indicator on the device display.	■
Side broom / side scrub deck mounting kit				
Side scrubbing deck B 260 RI	12	2.644-373.0	For wet cleaning close to the edge on the right side: Side scrubbing deck with lifting arm. Extends the working width by 20 cm.	□
Lighting / revolving signal light mounting kit				
Flashing beacon B 260 RI	13	2.644-363.0	Flashing beacon attachment kit for Kärcher scrubber dryers. Improves visibility during cleaning applications and thus increases safety in the working environment.	□
Blue spotlight front B260RI	14	2.644-366.0	Blue spotlight attachment kit for B 260 RI ride-on scrubber dryer. Projects a blue spot onto the floor in front of the machine for enhanced safety, e.g. in high-bay warehouses.	□

■ Included in the scope of supply. □ Available accessories.


ACCESSORIES FOR B 260 R I BP PACK+D100+DOSE 1.480-254.0



		Order no.	Description	
KITS				
Lighting / revolving signal light mounting kit				
Blue spotlight rear B260RI	15	2.644-367.0	Blue spotlight attachment kit for B 260 RI ride-on scrubber dryer. Projects a blue spot onto the floor behind the machine for enhanced safety, e.g. in high-bay warehouses.	<input type="checkbox"/>
Other attachment kits				
Squeegee impact protection	16	2.644-369.0	Impact protection for our B 260 RI ride-on scrubber drier. Prevents damage to the squeegee when reversing and prevents collisions with tall obstacles, such as palletes.	<input type="checkbox"/>
Connection to a vacuum cleaner or high-pressure cleaner	17	2.644-370.0	Attachment kit for the B 260 RI ride-on scrubber dryer to attach the HD 4/11 C Bp Pack high-pressure cleaner or the NT 22/1 Ap Bp Pack wet and dry vacuum cleaner.	<input type="checkbox"/>
Protective roof	18	2.643-849.0	This high-quality protective roof for the B 250 R scrubber drier (height 2,170 mm including protective roof) protects the operator from falling objects - tested in accordance with EN IEC 60335-2-72.	<input type="checkbox"/>
2-point safety belt	19	6.989-732.0	Two-point safety belt for ride-on scrubber drier types B 250 R and B 250 R I. Considerably increases work safety for the operator.	<input type="checkbox"/>
DISC PADS / PAD DRIVE BOARDS				
Microfibre pad				
Microfibre pad, White, 508 mm, 5 Piece(s)	20	6.371-271.0	Microfibre disc pad for the reliable and gentle removal of grey haze. Ideal for fine stoneware tiles.	<input type="checkbox"/>
Pads				
Pad, soft, White, 508 mm, 5 Piece(s)	21	6.371-320.0	Soft, non-abrasive pad for polishing to a dazzling shine.	<input type="checkbox"/>
Pad, soft, beige, 508 mm, 5 Piece(s)	22	6.369-468.0	Beige-coloured pad for ultra high-speed polishing and cleaning.	<input type="checkbox"/>
Pad, medium-soft, red, 508 mm, 5 Piece(s)	23	6.369-079.0	Red, standard disc pad for regular maintenance cleaning.	<input type="checkbox"/>
Pad, medium-hard, green, 508 mm, 5 Piece(s)	24	6.369-078.0	Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	<input type="checkbox"/>
Pad, hard, black, 508 mm, 5 Piece(s)	25	6.369-077.0	Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
Pad, hard, brown, 508 mm, 2 Piece(s)	26	2.639-258.0	Very abrasive disc pad for chemical-free care film and decoating.	<input type="checkbox"/>
Natural hair pad, soft, natural, 500 mm, 5 Piece(s)	27	6.371-146.0	The soft beige disc pad made from natural hair is ideal for cleaning and high-gloss polishing.	<input type="checkbox"/>
Pad drive boards				
Pad drive board STRONG, 480 mm	28	4.762-593.0	Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 51.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR B 260 R I BP PACK+D100+DOSE 1.480-254.0



		Order no.	Description	
DISC PADS / PAD DRIVE BOARDS				
Pad drive boards				
Pad drive board, 479 mm	29	4.762-534.0	For cleaning with pads. With quick-change coupling and Centerlock.	<input type="checkbox"/>
Diamond pad				
Diamond pad, coarse, White, 508 mm, 5 Piece(s)	30	6.371-260.0	White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	<input type="checkbox"/>
Diamond pad, medium, Yellow, 508 mm, 5 Piece(s)	31	6.371-261.0	Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	<input type="checkbox"/>
Diamond pad, fine, green, 508 mm, 5 Piece(s)	32	6.371-240.0	Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	<input type="checkbox"/>
Melamine pads				
Melamine pad, Grey/white, 508 mm, 2 Piece(s)	33	6.371-025.0	White melamine disc pad for intermediate and deep cleaning of microporous surfaces, as well as fine stone and other hard floor coverings. Can also be used for removing grey haze.	<input type="checkbox"/>
TRACTION BATTERIES AND CHARGERS				
Batteries				
Battery kit 525 Ah/36 V li-ion	34	2.654-000.0	525 Ah lithium iron phosphate battery with a long manufacturer's guarantee: fast and intermediate charging capability and service life around four times longer than lead batteries. Ideal for continuous operation with fast chargers.	<input type="checkbox"/>
Battery Chargers				
Off-board battery charger 36 V/200 A 330-480 V/50-60 Hz	35	4.654-083.0	200 A/36 V off-board quick charger for the 525 Ah lithium-ion trough battery of the B 260 RI. Can be used with CEE 32 A plug at 330-480 V/50-60 Hz.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.